

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	"705"/\$.CCLS. AND (digital ADJ I OU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 13:44
L2	0	1 AND @ad<"19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/03/04 13:44
S1	1	"5899980".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 14:07
S2	1	"5899980".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/10/07 13:45
S3	1	"5899980".pn. AND automatically	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/10/07 13:45
S4	1	"5899980".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/12/16 13:22
S5	0	"5899980".pn. AND open	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/12/16 13:23
S6	0	"5899980".pn. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/12/16 13:23
S7	0	"5899980".pn. AND browser	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/12/16 13:23
S8	6429	"705"/\$.CCLS. AND browser	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 16:52
S9	6737	"705"/\$.CCLS. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/02 15:01
S10	10057	"705"/\$.CCLS. AND web	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/02 15:01
S11	13091	("705"/\$.CCLS. AND browser) ("705"/\$.CCLS. AND window) ("705"/\$.CCLS. AND web)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/02 15:02

S12	81	((("705"/\$.CCLS. AND browser) ("705"/\$.CCLS. AND window) ("705"/\$.CCLS. AND web)) AND ((web NEAR browser) NEAR window))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/02 15:04
S13	9	((("705"/\$.CCLS. AND browser) ("705"/\$.CCLS. AND window) ("705"/\$.CCLS. AND web)) AND ((web NEAR browser) NEAR window)) AND (new NEAR ((web NEAR browser) NEAR window))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/02 15:09
S14	2	((("705"/\$.CCLS. AND browser) ("705"/\$.CCLS. AND window) ("705"/\$.CCLS. AND web)) AND ((web NEAR browser) NEAR window)) AND (new NEAR ((web NEAR browser) NEAR window))) AND (automatic\$6 NEAR (new NEAR ((web NEAR browser) NEAR window)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/02 15:10
S15	1	"5677955".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 12:51
S16	1	"5920847".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/09 15:11
S17	1	"5987140".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 12:51
S18	1	"6442529".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 12:51
S19	1	"20020087467".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 15:24
S20	1	"20020087467".pn. AND (web NEAR (browser NEAR window))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 12:54
S21	1	"20020087467".pn. AND (automat\$6 NEAR open\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 12:55
S22	1	("20020087467".pn. AND (web NEAR (browser NEAR window))) AND ("20020087467".pn. AND (automat\$6 NEAR open \$6))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 12:55

S23	1	"5899980".pn. AND (web OR www OR http OR html OR browser OR window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 15:28
S24	1	"5899980".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 18:10
S25	1	"5899980".pn. AND confirm	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/03 18:11
S26	1	"5899980".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 15:39
S27	1	"5899980".pn. AND reluctance	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 16:52
S28	14464	"705"/\$.CCLS. AND (server OR vendor OR merchant)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:02
S29	20229	"705"/\$.CCLS. AND (launch \$6 OR open\$6 OR generat \$6 OR start\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 16:53
S30	20341	"705"/\$.CCLS. AND (window OR application OR software OR browser)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 16:54
S31	21830	("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 16:54
S32	17976	"705"/\$.CCLS. AND (automat\$6 OR programm \$6 OR preprogram\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:05
S33	10290	"705"/\$.CCLS. AND (web OR www OR (world ADJ wide))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:05
S34	20220	"705"/\$.CCLS. AND new	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:06

S35	22026	((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:06
S36	1378	((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (automat\$6 NEAR5 new)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:07
S37	627	((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (browser NEAR5 window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:08

S38	1912	(((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (automat\$6 NEAR5 new)) (((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start\$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (browser NEAR5 window))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:09
S39	67	(((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (automat\$6 NEAR5 new)) (((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start\$6)) ("705"/\$.CCLS. AND (window OR	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:10

		application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (browser NEAR5 window))) AND (online NEAR purchase)				
S40	52	((((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start\$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (automat\$6 NEAR5 new)) (((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start\$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (browser NEAR5 window))) AND (online NEAR purchase)) AND (validat\$6 OR confirm OR approve)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 17:10

S41	22	(((((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start \$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (automat\$6 NEAR5 new)) (((("705"/\$.CCLS. AND (server OR vendor OR merchant)) ("705"/\$.CCLS. AND (launch\$6 OR open\$6 OR generat\$6 OR start\$6)) ("705"/\$.CCLS. AND (window OR application OR software OR browser))) ("705"/\$.CCLS. AND (automat\$6 OR programm\$6 OR preprogram\$6)) ("705"/\$.CCLS. AND (web OR www OR (world ADJ wide))) ("705"/\$.CCLS. AND new)) AND (browser NEAR5 window))) AND (online NEAR purchase)) AND (validat\$6 OR confirm OR approve)) AND (transact\$6 NEAR (data OR amount))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:47
S42	1	"6609113".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:14
S43	1	"6609113".pn. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:17
S44	0	"6609113".pn. AND (new NEAR5 window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:18
S45	0	"6609113".pn. AND (new NEAR window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:19
S46	1	"20010034720".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:20

S47	0	"20010034720".pn. AND (new NEAR5 window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:20
S48	0	"20010034720".pn. AND (new NEAR window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:20
S49	1	"20010034720".pn. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:34
S50	1	"20020016749".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:35
S51	0	"20020016749".pn. AND (new NEAR window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:35
S52	1	"20020016749".pn. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:39
S53	1	"5963924".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:39
S54	0	"5963924".pn. AND (browser NEAR window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:40
S55	1	"5963924".pn. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:40
S56	1	"20020055909".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 14:08
S57	1	"20020055909".pn. AND window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/05 18:48
S58	1	"20020055909".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 11:36
S59	1	"5899980".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 14:07
S60	1	"20020055909".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 14:08
S61	2	("5899980".pn. "20020055909".pn.) AND (transaction NEAR (data OR amount OR information OR details))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/10 19:27
S62	1	"20020087467".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 15:24

S86	1	"5920847".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/09 15:11
S87	1	"20020087467"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/17 18:11
S88	3	("5899980".pn. "5826241".pn. "20020055909".pn.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/26 18:16
S89	0	S88 AND (pop-up OR (pop ADJ up))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 15:02
S90	2744	"705"/\$.CCLS. AND (pop-up OR (pop ADJ up))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 18:27
S91	391	S90 AND @ad< "20000419"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 18:27
S92	139	S91 AND ((pop-up OR (pop ADJ up)) ADJ window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 15:28
S93	11	S92 AND (((pop-up OR (pop ADJ up)) ADJ window) SAME transaction)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 15:11
S94	452	"705"/\$.CCLS. AND (funds ADJ transaction)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 18:28
S95	99	S94 AND @ad< "20000419"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 18:27
S96	2	S95 AND ((funds ADJ transaction) NEAR5 server)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 18:46
S97	0	S95 AND ((funds ADJ transaction) ADJ server)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/11 18:31
S98	1	"20020046143".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/18 17:13
S99	0	S98 AND (optimiz\$5 NEAR9 purchasing)".	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/18 17:14
S100	0	S98 AND (optimiz\$5 WITH purchasing)".	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/18 17:16
S101	0	S98 AND (optimiz\$5 WITH purchasing)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/18 17:17

S102	1	S98 AND optimiz\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/18 17:17
S103	1	"20020087467".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/26 14:16
S104	1	S103 AND ((funds ADJ transfer) ADJ server)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/26 14:17
S105	3	("5899980".pn. "5826241". pn. "20020055909".pn.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/26 18:17
S106	2	S105 AND debit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/26 18:17
S107	1204	"705"/\$.CCLS. AND ((pop- up OR (pop ADJ up)) ADJ window)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 15:32
S108	87	S107 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:20
S109	3	S108 AND (opening NEAR10 ((pop-up OR (pop ADJ up)) ADJ window))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 15:33
S110	8	S108 AND (open\$5 NEAR10 ((pop-up OR (pop ADJ up)) ADJ window))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:20
S111	675	"705"/\$.CCLS. AND "amazon.com"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:20
S112	33	S111 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:33
S113	7	S112 AND (((online OR on- line OR (on ADJ line)) NEAR10 purchas\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:32
S114	4219	"705"/\$.CCLS. AND (((online OR on-line OR (on ADJ line)) NEAR10 purchas\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:47
S115	281	S114 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:47
S116	67	S115 AND (transaction ADJ information)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:38
S117	4	S116 AND (Receiving NEAR5 (transaction ADJ information))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:39

S118	1952	"705"/\$.CCLS. AND walker	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:47
S119	390	S118 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/23 10:28
S120	264	S119 AND transaction	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:48
S121	41	S120 AND (transaction NEAR10 verif\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:49
S122	6	S121 AND ((vendor OR merchant) SAME (transaction NEAR10 verif \$6))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/20 17:50
S123	0	"705"/\$.CCLS. AND (payment WITH (approv\$5 OR verif\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:27
S124	3992	"705"/\$.CCLS. AND (payment WITH (approv\$5 OR verif\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:27
S125	511	S124 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/23 10:28
S126	33	S125 AND (merchant NEAR10 ((transaction OR bank OR card) NEAR5 server))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/23 14:12
S127	58	S125 AND ((customer OR user) NEAR10 ((transaction OR bank OR card) NEAR5 server))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/23 12:19
S128	1	"5903652".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/07/23 14:12

S129	37	("20020123926" "20020139849" "20030158818" "20040138947" "5220501" "5557518" "5677955" "5677966" "5699528" "5740364" "5787215" "5873072" "5878215" "5883810" "5890140" "5909492" "5915023" "5949044" "5991749" "6002771" "6012048" "6032133" "6044362" "6078907" "6119106" "6128603" "6175823" "6193155" "6298335" "6347305" "6367693" "6408284" "6442529" "6488203" "6609113" "6761309" "7089202").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/08/26 18:53
S130	37	("20020123926" "20020139849" "20030158818" "20040138947" "5220501" "5557518" "5677955" "5677966" "5699528" "5740364" "5787215" "5873072" "5878215" "5883810" "5890140" "5909492" "5915023" "5949044" "5991749" "6002771" "6012048" "6032133" "6044362" "6078907" "6119106" "6128603" "6175823" "6193155" "6298335" "6347305" "6367693" "6408284" "6442529" "6488203" "6609113" "6761309" "7089202").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/08/27 14:57
S131	2	S130 AND (pop-up OR popup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:57
S132	5	("5899980" "5826241" "20020004783" "5758126" "6102287").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/08/14 21:12
S133	0	S132 AND (pop-up WITH trigger)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/08/14 21:19
S134	2	S132 AND pop-up	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/08/14 21:19

S135	10	("5899980" "5826241" "20020004783" "5758126" "6102287").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/29 21:46
S136	0	S135 AND (digital ADJ IOU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/29 21:47
S137	11	705/35-40.CCLS. AND (digital ADJ IOU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/29 21:48
S138	1094	"705"/\$.CCLS. AND (funds ADJ transaction)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:49
S139	83	S138 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:49
S140	0	S137 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:50
S141	13	"705"/\$.CCLS. AND (digital ADJ IOU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/29 21:50
S142	83	S138 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:50
S143	0	S141 AND @ad< "19990229"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:51
S144	1	S141 AND @ad< "20001115"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:51
S145	13	(digital ADJ IOU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/29 21:54
S146	1	S145 AND @ad< "20001115"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2011/01/29 21:54

3/ 4/ 2011 1:51:05 PM

C:\ Documents and Settings\ schencinski\ My Documents\ EAST\ Workspaces\ 09991379.wsp